

AEROSOL SELECTOR CHART

Product	Part Number	Color	DIRECT TO METAL								SHAKE	COATS	AIR DRYING	COVERAGE	DRY SANDING	WET SANDING	DRY BUILD	REGULATORY
			Bare Steel	Aluminum	Galvanized Steel	Plastic	Fiberglass	Painted Surfaces	Polyester Body Fillers & GRP	Gloss Level %								
CLEAR#1	UP0796	Clear						√		85+	2 mins	1-2 coats @ 10"	60 mins	37.6	-	-	0.78	CC: 0.85
WELD#2	UP0768	Copper	√	√	√					-	2 mins	1-2 coats @ 10"	10-20 mins	53.8	180-220	180-220	0.39	WTP: 1.00
WELD#2	UP0789	Zinc	√	√	√					-	2 mins	1-2 coats @ 10"	10-20 mins	53.8	180-220	180-220	0.39	WTP: 1.00
SPOT#3	UP0870	Gray	√	√	√	√	√	√	√	-	2 mins	1-2 coats @ 10"	15-20 mins	48.4	400-600	600-800	0.59	ABP: 0.95
GRIP#4	UP0799	Clear	√	√	√	√	√	√	√	-	2 mins	1-2 coats @ 10"	10-20 mins	32.2	400-600	600-800	0.08	PAP: 2.50
HIGH#5	UP0763V	White	√							-	2 mins	1-2 coats @ 10"	60 mins	21.5	400-600	600-800	1.77	ABP: 0.95
HIGH#5	UP0765V	Dark Gray	√							-	2 mins	1-2 coats @ 10"	60 mins	21.5	400-600	600-800	1.77	ABP: 0.95
HIGH#5	UP0783V	Beige	√							-	2 mins	1-2 coats @ 10"	60 mins	21.5	400-600	600-800	1.77	ABP: 0.95
HIGH#5	UP0791V	Gray	√							-	2 mins	1-2 coats @ 10"	60 mins	21.5	400-600	600-800	1.77	ABP: 0.95
HIGH#5	UP0871	Black	√							-	2 mins	1-2 coats @ 10"	60 mins	21.5	400-600	600-800	1.77	ABP: 0.95
WIPE#6	UP0872	Clear	√	√	√	√	√	√	√	-	2 mins	1 coat @ 10"	-	-	-	-	-	Exempt
GUIDE#7	UP0873	Black								-	2 mins	1 coat @ 10"	-	-	As Required	-	-	FPP: 0.80
ACID#8	UP0741V	Gray	√	√	√					-	2 mins	1-2 coats @ 10"	10-20 mins	48.4	400-600	600-800	0.59	ABP: 0.95
ACID#8	UP0837	Black	√	√	√					-	2 mins	1-2 coats @ 10"	10-20 mins	48.4	400-600	600-800	0.59	ABP: 0.95
BLEND#9	UP0874	Clear						√		-	2 mins	1 coat @ 10"	-	-	-	-	-	Exempt
GUARD#10	UP0875	Black	√	√						-	2 mins	1-2 coats @ 10"	3-4 hours	43	-	-	1.97	ABP: 0.95
GUARD#10	UP0884	Gray	√	√						-	2 mins	1-2 coats @ 10"	3-4 hours	43	-	-	1.97	ABP: 0.95
TRIM#11	UP0876	Gloss Black		√		√				70+	2 mins	1-2 coats @ 10"	20-30 mins	48.4	-	-	0.59	ABT: 1.70
TRIM#11	UP0877	Matte Black		√		√				<5	2 mins	1-2 coats @ 10"	20-30 mins	48.4	-	-	0.59	ABT: 1.70
TRIM#11	UP0878	Satin Black		√		√				15-25	2 mins	1-2 coats @ 10"	20-30 mins	48.4	-	-	0.59	ABT: 1.70
TRIM#11	UP0879	Gloss White		√		√				70+	2 mins	1-2 coats @ 10"	20-30 mins	48.4	-	-	0.59	ABT: 1.70
TRIM#11	UP0880	Steel Wheels		√		√				-	2 mins	1-2 coats @ 10"	20-30 mins	48.4	-	-	0.59	ABT: 1.70
TRIM#11	UP0881	Silver Wheels		√		√				-	2 mins	1-2 coats @ 10"	20-30 mins	48.4	-	-	0.59	ABT: 1.70
E-COAT#12	UP0890	Black	√	√	√	√	√	√	√	40+	2 mins	1-2 coats @ 10"	20-30 mins	59	-	-	0.60	ABP: 0.95
E-COAT#12	UP0891	Gray	√	√	√	√	√	√	√	40+	2 mins	1-2 coats @ 10"	20-30 mins	59	-	-	0.60	ABP: 0.95
E-COAT#12	UP0892	Light Green	√	√	√	√	√	√	√	40+	2 mins	1-2 coats @ 10"	20-30 mins	59	-	-	0.60	ABP: 0.95
E-COAT#12	UP0893	Beige	√	√	√	√	√	√	√	40+	2 mins	1-2 coats @ 10"	20-30 mins	59	-	-	0.60	ABP: 0.95
E-COAT#12	UP0894	Olive Green	√	√	√	√	√	√	√	40+	2 mins	1-2 coats @ 10"	20-30 mins	59	-	-	0.60	ABP: 0.95

Many substrates need to be properly prepared before application for proper adhesion. Please refer to the corresponding TDS before beginning any repair.