



Staying Connected

Building Awareness

Developing Knowledge



- 1 Fillers, Putties & Glazes
 - 2 Primers & Clears
 - 3 RAPTOR Part I
 - 4 RAPTOR Part II
 - 5 Premium Aerosols
 - 6 Custom Cans



HeadStart - Process Development

- 7 RAPTOR: Alternative Uses
 - 8 Specialty Fillers: Fiberglass Fillers
 - 9 Specialty Fillers: Plastic Repair
 - 10 Premium Aerosols Part II
 - 11 Smart Repair
 - 2 Fast: Fill & Prime

Module 10: **Premium Aerosols II**









Fillers

Clears and Primers









Custom Cans

Premium Aerosol Range Review



EPA Rule 40 CFR Part 63 Subpart HHHHHH (6H)



Requirement:

Non-Refillable Aerosol Spray Cans for compliant use outside the booth

Premium Aerosol Range Review Module 5



5 Key Aerosols in Collision Damage Repair Products Used Every Day in Every Shop











U-POL Premium Aerosol II Product Focus



Why U-POL Premium Aerosols?

- Proven results for 67 years
- 12 part numbers covering 25 sku's
- High performance multi-function resins
- Outperforms industry competitors
- Broad aerosol range
- Combines value and performance
- Highly profitable

Premium Aerosol II Range Overview



Professional Aerosols - Prep and Prime Products









Premium Aerosol II Range Overview



Professional Aerosols - Protection and Topcoat









- Excellent corrosion resistance
- High adhesion for steel and galvanized
- Available in Copper or Zinc
- Same corrosion protection
- Copper = superior conductivity for cleaner, spatter free welds
- Compatible with M.I.G., T.I.G. and resistance welders
- Clog free nozzle can't be understated.





- Primer / W-O-W non-sanding sealer
- Perfect for in-booth rub / cut through areas prior to paint
- Multi-function resin directly bonds to flexible plastics, steel, alu and galv no etch or adhesion promoter
- Very fast drying and easy to sand
- Directly topcoat with solvent or water
- Wide 4" fan





- Anti-silicone degreaser
- Fast evaporating, no residue
- Perfect for spot and localized repairs
- Does not attack existing paints
- For bare metal, composites, FG or OEM paint
- Reduces / controls VOC emissions





- Graphite based guide coat
- Instantly dry
- No odor
- Does not clog paper when sanded
- Identifies pin holes in filler, high and low areas
- Wet or dry sand compatible
- Does not wash off when wet sanded





- Stone chip protector
- Sound dampener
- Can be used as texture coater
- Bonds directly to bare metal, sanded paint and prepared galv or aluminum
- High build formula hides welds and seams
- Paintable
- 2 texture tips included





- Trim paint 6 colors
- Enhanced resin, bonds directly to trim plastics, bare, galv or aluminum
- High pigment density, one coat coverage @ 75% overlap
- Wider fan superior atomization
- "Jet Black" no brown or gray tones
- In high gloss, satin, matte and metallic










- Duplicates OEM e-coat look and gloss
- Proprietary Laminar resin has superior corrosion resistance.
- Passes 100 hr salt spray resistance test
- High pigment density + wide fan = one coat coverage @ 75% overlap
- Outperforms industry leader on every level
- No need to tie up the booth use outside
- 5 most demanded OEM colors
- Following video covers typical E-12 application on a new replacement panel











U-POL competitive advantages 4 month exposure





Find out more on our training portal



• Visit our training portal at www.u-pol.com to see all our HeadStart information including videos / live stream sessions / Q&As

