

# Safety Data Sheet S2000-US-SDS

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/14/2015 Revision date: 01/09/2020 Supersedes: 10/11/2019

Version: 2.2

## **SECTION 1: Identification**

1.1. Identification

Product form : Mixture

Trade name : SYSTEM 20 WATER BASED DEGREASER

UP Number UP2002

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Washing and cleaning products (including solvent based products)

Recommended use : Degreaser

1.3. Supplier

U-POL US Inc 108 Commerce Way Easton, PA 18040 - United States T 1-800-340-7824 - F 1-800-787-5150

technicalsupport@u-pol.com - www.u-pol.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - 1-800-424-9300

## SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

**GHS US classification** 

Not classified

### 2.2. GHS Label elements, including precautionary statements

### **GHS US labeling**

No labeling applicable

### 2.3. Other hazards which do not result in classification

## 2.4. Unknown acute toxicity (GHS US)

# **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
propan-2-ol	(CAS-No.) 67-63-0	< 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
butyl glycolether	(CAS-No.) 111-76-2	< 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

# 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

07/01/2021 EN (English US) SDS ID: S2000-US-SDS Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.2. Most important symptoms and effects (acute and delayed)

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Protective clothing. Gloves.

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment : Contain released product, pump into suitable containers. Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : < 25 °C

Storage area : Store in well ventilated area.

Special rules on packaging : Keep only in original container.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

propan-2-ol (67-63-0)		
ACGIH	Local name	2-Propanol
ACGIH	ACGIH OEL TWA [ppm]	200 ppm
ACGIH	ACGIH OEL STEL [ppm]	400 ppm
ACGIH Remark (ACGIH) TLV® Basis: Eye & URT irr; CNS impair. Notations (Not classifiable as a Human Carcinogen); BEI		TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
ACGIH	Regulatory reference	ACGIH 2021

07/01/2021 EN (English US) SDS ID: \$2000-US-SDS 2/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

propan-2-ol (67-63-0)		
OSHA	OSHA PEL (TWA) [1]	980 mg/m³
OSHA	OSHA PEL (TWA) [2]	400 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
butyl glycolether (111-76-2)		
ACGIH	Local name	2-Butoxyethanol (EGBE)
ACGIH	ACGIH OEL TWA [ppm]	20 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
ACGIH	Regulatory reference	ACGIH 2021
OSHA	OSHA PEL (TWA) [1]	240 mg/m³
OSHA	OSHA PEL (TWA) [2]	50 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

# 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Gloves. Protective clothing. Safety glasses.

### Materials for protective clothing:

Impermeable clothing

### Hand protection:

Protective gloves

### Eye protection:

Safety glasses

## Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## Personal protective equipment symbol(s):







## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Color : Colorless
Odor : mild

Odor threshold : No data available pH : No data available

Melting point : 0 °C

07/01/2021 EN (English US) SDS ID: S2000-US-SDS 3/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point : No data available

Boiling point : 100 °C

Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Not applicable.
Vapor pressure : 23 hPa

Relative vapor density at 20 °C : No data available Relative density : No data available

Density : 1 g/cm<sup>3</sup>

Solubility : Miscible with water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosion limits** : No data available Explosive properties : No data available : No data available Oxidizing properties

### 9.2. Other information

As Packaged Regulatory VOC : 25 g/l (0.21 lb/gal)
As Packaged Actual VOC : 25 g/l (0.21 lb/gal)
As Applied Regulatory VOC : 25 g/l (0.21 lb/gal)
As Applied Actual VOC : 25 g/l (0.21 lb/gal)

 Water Content
 0 wt%

 Exempt Compounds by volume
 : 0 vol %

 Exempt Compounds by weight
 : 0 wt%

 Volatiles
 : 100 wt%

 % EPA HAPS
 : 0 wt%

 Percent Solids
 : 0 wt%

 Percent Solids
 : 0 vol %

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

07/01/2021 EN (English US) SDS ID: S2000-US-SDS 4/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (inhalation)	: Not classified

propan-2-ol (67-63-0)		
LD50 oral rat	5840 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	16400 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value Inhalation (vapours), 14 day(s))	
ATE US (oral)	5840 mg/kg body weight	
ATE US (dermal)	16400 mg/kg body weight	
butyl glycolether (111-76-2)		
LD50 oral rat	1746 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301	
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat [ppm]	450 ppm (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value)	
ATE US (oral)	1746 mg/kg body weight	
ATE US (dermal)	1100 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
propan-2-ol (67-63-0)		
IARC group	3 - Not classifiable	
butyl glycolether (111-76-2)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
propan-2-ol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
butyl glycolether (111-76-2)		
NOAEL (dermal,rat/rabbit,90 days)	> 150 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
Aspiration hazard	: Not classified	
/iscosity, kinematic	: No data available	

# **SECTION 12: Ecological information**

12	 	OXIC	,ity	

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

propan-2-ol (67-63-0)	
LC50 - Fish [1]	10000 mg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas
butyl glycolether (111-76-2)	
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

07/01/2021 EN (English US) SDS ID: S2000-US-SDS 5/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'

### 12.2. Persistence and degradability

propan-2-ol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.4 g O₂/g substance	
butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water.	

## 12.3. Bioaccumulative potential

propan-2-ol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow) 0.05 (Weight of evidence approach, 25 °C)		
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
butyl glycolether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow)	0.81 (Test data, 20 °C)	
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		

# 12.4. Mobility in soil

propan-2-ol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
butyl glycolether (111-76-2)	
Surface tension	65.03 mN/m (20 °C, 2 g/l)
Ecology - soil	Low potential for adsorption in soil.

### 12.5. Other adverse effects

# **SECTION 13: Disposal considerations**

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

**Department of Transportation (DOT)** 

In accordance with DOT

Not regulated

**Transportation of Dangerous Goods** 

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

07/01/2021 EN (English US) SDS ID: S2000-US-SDS 6/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

#### propan-2-ol (67-63-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### **CANADA**

#### propan-2-ol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

#### butyl glycolether (111-76-2)

Listed on the Canadian DSL (Domestic Substances List)

### **EU-Regulations**

No additional information available

#### **National regulations**

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
propan-2-ol(67-63-0)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S. – New York City – Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List
butyl glycolether(111-76-2)	U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 01/09/2020


NFPA health hazard : 1 - Materials that, under emergency conditions, can cause

significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

NFPA reactivity : 1 - Materials that in themselves are normally stable but can

become unstable at elevated temperatures and pressures.



SDS US GHS (GHS HazCom2012)

07/01/2021 SDS ID: S2000-US-SDS EN (English US) 7/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

For professional use only.

The information contained within this Safety Data Sheet (SDS) is believed to be correct as of the date issued however it is subject to change from time to time. It does not purport to be all inclusive or exhaustive and shall only be used as a guide. U-POL makes no warranties, expressed or implied, including but not limited to, any implied warranty of fitness for a given purpose or usage. It is the Buyers responsibility to ensure the suitability of the products for their own use and to check the information is up to date. U-POL cannot be held responsible for the suitability of use for any of its products, considering the wide range of factors such as application, substrates and handling methods. Since these conditions of use are outside of our control, the company shall not be held liable for any damage resulting from handling or from contact with the product detailed. Moreover, addition of reducers, hardeners or other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. U-POL data sheets are available via the U-POL website at WWW.U-POL.COM.

07/01/2021 EN (English US) SDS ID: S2000-US-SDS 8/8