



2 PART FILLER

ULTRA FIRM ULTRA FAST ULTIMATE PERFORMANCE

**PERFORMANCE
GUARANTEED.**



There's two parts to every job: u-pol.com/uk/en-uk/construction



**PERFORMANCE
GUARANTEED.**

U-POL is a World leader in automotive fillers. This heritage and 70 years experience in fillers, coupled with our continued investment in state-of-the-art manufacturing facilities and reputation for innovation, ensures that your U-POL experience is nothing less than world class. We are now bringing that expertise into the construction industry with our bespoke 2 part filler range to help you get it right first time, every time.

**ULTRA FIRM
ULTRA FAST
ULTIMATE
PERFORMANCE
IN 3 SIMPLE STEPS**

STEP 1: MIX

Mix together the Hardener and Filler at a 2% Hardener ratio. Ensure that the product is fully mixed before application.



STEP 2: FILL

Fill the hole or crack with a pressing action to reduce air entrapment. For deeper holes, build the filler up in layers allowing each layer to dry before the next application.



STEP 3: SAND

Start with a coarse sandpaper and finish with a fine sandpaper.



2 PART FILLER RANGE...

EASYfill™

 MICROBEAD TECHNOLOGY

 20 MINS



A lightweight polyester filler perfect for all those last minute minor surface imperfections. U-POL EASYfill™ delivers a smooth surface that is easy to sand down flat or shape and ready for painting in 20 minutes.

Advanced microbead technology makes EASYfill™ the easiest to sand filler in the range, designed to deliver outstanding performance with a flawless finish ready for final paint.

- ✓ Microbead technology - ultra easy to sand
- ✓ Ready to shape and sand in 20 minutes
- ✓ Fills to any depth
- ✓ Excellent adhesion & vertical hold
- ✓ Suitable for interior and exterior repairs
- ✓ Does not crack or shrink
- ✓ Can be drilled, screwed or nailed

FASTfill™

 ALL WEATHER

 10 MINS



U-POL FASTfill™ is a high performance, fast-drying filler specially formulated with unique snap-cure technology to produce a tough repair ready to sand and shape in 10 minutes. FASTfill™ can be used in both interior and exterior applications where speed is crucial.

- ✓ Fast drying snap cure technology
- ✓ Sand and shape in 10 minutes
- ✓ Fills to any depth
- ✓ Can be drilled, screwed or nailed
- ✓ Excellent adhesion & vertical hold
- ✓ Does not crack or shrink
- ✓ Suitable for interior and exterior repairs

TOUGHfill™

 20 MINS



U-POL TOUGHfill™ is a two-part polyester filler that has been specifically designed to work in high-demand environments, where toughness is paramount. U-POL TOUGHfill™ can be used to repair holes, dents, splits and cracks, making it an ideal partner to repair or provide extra holding strength on most surfaces.

- ✓ Advanced resin technology for ultra toughness
- ✓ For load bearing repairs
- ✓ Fills to any depth
- ✓ Excellent adhesion & vertical hold
- ✓ Sand and shape in 20 minutes
- ✓ Does not crack or shrink
- ✓ Ideal for high-demand environments
- ✓ Suitable for interior and exterior repairs

There's 2 parts to every job: u-pol.com/uk/en-uk/construction



2 PART FILLER

TECHNICAL DATA

EASYfill™



Colour	Cream
Mix ratio by weight	2%
Gel time	4 - 6 minutes at 20°C 3 - 5 minutes at 25°C
Application temperature	+7°C to +40°C
Sanding time	15 - 20 minutes
Overcoating	30 minutes
Available in 1.1 litre tins	

FASTfill™



Colour	Grey
Mix ratio by weight	2%
Gel time	3 - 5 minutes at 20°C 2 - 4 minutes at 25°C
Application temperature	+7°C to +40°C
Sanding time	8 - 10 minutes
Overcoating	20 minutes
Available in 1.1 litre tins	

TOUGHfill™



Colour	Beige
Mix ratio by weight	2%
Gel time	4 - 6 minutes at 20°C 3 - 5 minutes at 25°C
Application temperature	+7°C to +40°C
Sanding time	15 - 20 minutes
Overcoating	30 minutes
Available in 1.1 and 3.5 litre tins	