



DRIVING SURFACE PERFECTION™

Visit www.u-pol.com to learn more about **U-POL** products.

Plus you'll find other valuable information like Technical Data Sheets and Safety Data Sheets available to easily download.

U-POL Limited
4th Floor, The Grange,
100 High Street, London N14 6BN
Tel: +44 (0)20 8492 5920
Fax: +44 (0)208 8181 6911
Email: uk.sales@u-pol.com

U-POL Technical
Tel: +44 (0)1933 230 310
Fax: +44 (0)1933 425 797
Email: technicaldepartment@u-pol.com

U-POL is a registered trademark of U-POL Ltd ©2017

May 2017



PREMIUM AEROSOLS

11 ADVANCED FORMULATIONS
for all your bodyshop needs



DRIVING SURFACE PERFECTION™



U-POL PREMIUM AEROSOLS

U-POL is world renowned for manufacturing and distributing high quality products that professionals demand. Building upon our continued success and experience within the automotive refinishing industry, **U-POL** introduces its range of 11 aerosols, designed for all stages of the repair process.

U-POL Premium Aerosols offer bodyshops a comprehensive range of advanced formulations coupled with the convenience of spray application.

All have been developed using latest high performance technologies and the special anti-clog nozzle gives an outstanding spray-gun like finish to every job.

These unique characteristics ensure **U-POL** Premium Aerosols offers bodyshop technicians distinct benefits when used throughout the repair process.


- Fast, easy, convenient
- Spray gun-like finish
- Perfect professional results



www.u-pol.com

There's a U-POL Premium Aerosol for all stages of the repair process...

This simple process chart shows exactly which aerosol you need for each application.





CLEAR#1 UV Resistant Clearcoat

Advanced clearcoat that gives an excellent high gloss finish with UV resistance and durability. Ideal for spot repairs, wing mirror covers, door handles and mouldings.

- Excellent flow and depth of gloss
- Easy to use and fast drying
- Compatible with solvent and water based basecoats
- Non-yellowing

CODE	SIZE	COLOUR	CTN
CLEAR/AL	450ml	Clear	6



WELD#2 Weld Through Primer

A high adhesion, super conductive primer offering excellent rust protection when applied to suitably prepared panels prior to SPOT, MIG and TIG welding.

- Fast drying
- High concentration of zinc or copper in the dry film
- Corrosion resistant
- Excellent re-flow around the weld

CODE	SIZE	COLOUR	CTN
WELD/AL	450ml	Zinc	6
WELDC/AL	450ml	Copper	6



NEW



Substrates:
Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

SPOT#3 Universal Spot Primer

A fast drying universal spot primer ideal for small rub through areas and localised repairs. Use directly on metal and most plastic parts.

- Highly flexible, excellent adhesion
- Can be overcoated with most water or solvent based top coats
- Fast drying and easy to sand

CODE	SIZE	COLOUR	CTN
SPOT/AL	450ml	Grey	6



Substrates:
Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

GRIP#4 1K Universal Adhesion Promoter

A ready to use universal adhesion promoter for paints, adhesives and sealants. Ideal for all automotive surfaces such as plastics, aluminium, fibreglass, galvanised and painted surfaces.

- Improves adhesion in areas difficult to access to abrade such as door handles and sills
- Sprays flat - no sanding required
- Can be overcoated with most water or solvent based paint systems
- Fast drying

CODE	SIZE	COLOUR	CTN
GRIP/AL	450ml	Clear	6



HIGH#5 High Build Primer Filler

A primer with ultra high build filling properties for a very smooth surface prior to the application of the top coat. Ideal for spot repairs on fully cured paint, polyester body fillers, GRP and prepared steel.

- Ideal for spot and SMART repairs
- Produces a similar film thickness to spray applied primers
- Fast drying, easy to sand
- Supplied with 2 nozzles for controlled application

CODE	SIZE	COLOUR	CTN
HIGHG/AL	450ml	Grey	6
HIGHB/AL	450ml	Black	6
HIGHW/AL	450ml	White	6
HIGHDG/AL	450ml	Dark Grey	6



Substrates:
Direct to metal, prepared OEM paint surfaces, SMC, fibreglass, lightly abraded E-Coat

Formerly S2002/AL



WIPE#6 Solvent Based Degreaser

An anti-static, anti-silicone degreaser that removes contaminants including wax, grease and silicones.

- Fast evaporating for localised repairs
- Formulated to avoid attack on existing paint film
- Can be used on bare metal and existing paint surfaces
- Ideal for panel preparation prior to using U-POL systems

CODE	SIZE	COLOUR	CTN
WIPE/AL	450ml	Clear	6



Substrates:
Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

Formerly S2004/AL



GUIDE#7 Dry Guide Coat

A highly effective dry powder guide coat that highlights and identifies surface imperfections when sanding fillers or primers.

- Does not clog or block abrasives
- Suitable for dry or wet sanding
- Fast drying

CODE	SIZE	COLOUR	CTN
GUIDE/AL	450ml	Black	6



ACID#8 1K Acid Etch Primer

Promotes paint adhesion to difficult substrates such as galvanised steel and aluminium. Ideal for rub through areas in primer prior to application of colour.

- Fast drying
- Super smooth finish that can be directly overcoated
- Excellent anti-corrosive properties
- Can be overcoated with most water or solvent based paint systems

CODE	SIZE	COLOUR	CTN
ACID/AL	450ml	Grey	6



Substrates:
Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

Formerly S2043/AL



BLEND#9 Fade Out Solvent

A fast and effective blending solvent to fade out the edges of clearcoats and solid colours. Ideal for all types of repairs.

- Invisible blend finish
- For use with all coatings
- Suitable for SMART repairs

CODE	SIZE	COLOUR	CTN
BLEND/AL	450ml	Clear	6

Formerly
Gravi-Gard Grava/B



GUARD#10 Gravi-Gard™ Stone Chip Protector

A textured, durable coating to protect against stone chips, salt, damp and rust. Supplied with two nozzles for either a fine or coarse finish.

- Sound dampening - ideal for body panels and inside engine compartments
- Can be overcoated with any water or solvent based paint systems
- High build formulation covers weld marks and seams
- Fast drying

CODE	SIZE	COLOUR	CTN
GUARD/AL	450ml	Black	6



Substrates:
Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC fibreglass, lightly abraded E-Coat

NEW



TRIM#11 High Build Top Coat

A high build top coat to restore the original appearance of trim and areas around windows, doors, handles, outside of mirrors, bumpers and alloy wheels.

- Suitable for use over existing paint surfaces
- Fast drying, clog free formulation
- High opacity
- Available in a choice of finishes

CODE	SIZE	COLOUR	CTN
TRIMGB/AL	450ml	Gloss Black	6
TRIMMB/AL	450ml	Matt Black	6
TRIMSB/AL	450ml	Satin Black	6
TRIMGW/AL	450ml	Gloss White	6
TRIMSLW/AL	450ml	Silver Wheels	6
TRIMSTW/AL	450ml	Steel Wheels	6

AEROSOL SELECTOR CHART

Product	Colour	DIRECT TO METAL			Shake	Coats	Air Drying	Dry Sanding	Wet Sanding	Coverage	Dry Build	VOC (g per litre)
		Bare Steel	Aluminium	Galvanised Steel								
Clear#1	Clear				1-2 coats @ 25cm	60 mins	-	-	-	3.5	20 µ	680
Weld#2	Zinc	✓		✓	1-2 coats @ 25cm	10-20 mins	400-600	600-800	600-800	5	10 µ	730
Weld#2	Copper	✓		✓	1-2 coats @ 25cm	10-20 mins	400-600	600-800	600-800	5	10 µ	695
Spot#3	Grey	✓	✓	✓	1-2 coats @ 25cm	15-20 mins	400-600	600-800	600-800	4.5	15 µ	636
Grip#4	Clear	✓	✓	✓	1-2 coats @ 25cm	10-20 mins	400-600	600-800	600-800	3	2 µ	770
High#5	Grey	✓		✓	1-2 coats @ 25cm	60 mins	400-600	600-800	600-800	2	45 µ	690
High#5	Black	✓		✓	1-2 coats @ 25cm	60 mins	400-600	600-800	600-800	2	45 µ	690
High#5	White	✓		✓	1-2 coats @ 25cm	60 mins	400-600	600-800	600-800	2	45 µ	690
High#5	Dark Grey	✓		✓	1-2 coats @ 25cm	60 mins	400-600	600-800	600-800	2	45 µ	690
Wipe#6	Clear	✓	✓	✓	@ 25cm	-	-	-	-	-	-	760
Guide#7	Black			✓	1-2 coats @ 25cm	-	As required	-	-	4	5 µ	680
Acid#8	Grey	✓	✓	✓	1-2 coats @ 25cm	10-20 mins	400-600	600-800	600-800	4.5	15 µ	699
Blend#9	Clear			✓	1 coat @ 25cm	-	-	-	-	-	-	688
Guard#10	Black	✓	✓	✓	1-2 coats @ 25cm	3-4 hours	-	-	-	4	50 µ	600
Trim#11	Gloss Black			✓	1-2 coats @ 25cm	20-30 mins	-	-	-	2	15 µ	655
Trim#11	Matt Black			✓	1-2 coats @ 25cm	20-30 mins	-	-	-	2	15 µ	665
Trim#11	Satin Black			✓	1-2 coats @ 25cm	20-30 mins	-	-	-	2	15 µ	650
Trim#11	Gloss White			✓	1-2 coats @ 25cm	20-30 mins	-	-	-	2	15 µ	630
Trim#11	Silver Wheels			✓	1-2 coats @ 25cm	20-30 mins	-	-	-	2	15 µ	655
Trim#11	Steel Wheels			✓	1-2 coats @ 25cm	20-30 mins	-	-	-	2	15 µ	655

U-POL recommends referring to the product TDS for technical data and instructions prior to use.