

# Safety Data Sheet

according to the Model Work Health and Safety Regulations Issue date: 1/06/2018 Revision date: 20/12/2021 Supersedes: 3/05/2019 Version: 4.0

#### **SECTION 1: Product identifier**

#### 1.1. GHS Product identifier

Product form : Mixture

RAPTOR WHITE BED LINER 2K AEROSOL Trade name

Product code RLW/AL

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use Coating

Restrictions on use Consumer uses: Private households (= general public = consumers)

#### 1.4. Details of manufacturer or importer

Supplier Supplier

U-POL Australia Pty Limited Ltd U-POL New Zealand Limited Ltd

Unit A, 16 - 20 Cassola Place c/o Lindsay & Associates Unit H, 12 Amera Place, East Tamaki

Penrith NSW 2750 Manukau City Auckland 2013

Australia New Zealand

T 02 4731 2655 - F 02 4731 2611 T + 612 4731 2655 - F + 612 4731 2611 info@u-pol.co.au - www.u-pol.com info@u-pol.co.nz - www.u-pol.com

#### 1.5. Emergency phone number

Emergency number : Australia (CHEMTREC): + (61) - 290372994 ; New Zealand (National Poisons Centre):

0800 764 766

## **SECTION 2: Hazard identification**

## 2.1. Classification of the hazardous chemical

## Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Aerosol, Category 1 H222;H229 Serious eye damage/eye irritation, Category 2A H319 Skin sensitisation, Category 1 H317

# 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU)





Flame

Exclamation

Signal word (GHS AU)

Danger

Contains hexamethylene diisocyanate oligomers (< 10 %); reaction mass of α-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-ω-hydroxypoly(oxyethylene) and α-3-(3-(2H-

benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-ω-3-(3-(2H-benzotriazol-2-yl)-5tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene) (< 10 %); reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-

piperidyl sebacate (< 10 %)

Hazard statements (GHS AU) : H222 - Extremely flammable aerosol

> H229 - Pressurised container: May burst if heated H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

Precautionary statements (GHS AU)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
 No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours, spray, fume. P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, face protection, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

## **SECTION 3: Composition and information on ingredients**

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
hexamethylene diisocyanate oligomers	28182-81-2	< 10	Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317 STOT SE 3, H335
reaction mass of $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxypoly(oxyethylene) and $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)	-	< 10	Skin Sens. 1, H317 Aquatic Chronic 2, H411
reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5	< 10	Acute Tox. 5 (Oral), H303 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Other substances (not contributing to the classification of this product)	-	92.78	-

#### **SECTION 4: First aid measures**

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Symptoms caused by exposure

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Medical attention and special treatment

Other medical advice or treatment : Treat symptomatically.

20/12/2021 (Revision date) EN (English) 2/9

#### Safety Data Sheet

according to the Model Work Health and Safety Regulations

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes. Avoid breathing fume, spray, vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Avoid breathing fume, spray, vapours. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a

well-ventilated place. Keep cool.

#### **SECTION 8: Exposure controls and personal protection**

## 8.1. Control parameters - exposure standards

No additional information available

#### 8.2. Biological Monitoring

No additional information available

20/12/2021 (Revision date) EN (English) 3/9

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves Eye protection : Safety glasses

Skin and body protection Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Air-Purifying Respirator (APR), reusable	Filter A2/B2		

#### Personal protective equipment symbol(s)









Environmental exposure controls Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

Physical state : Liquid Appearance : aerosol. Colour : White : characteristic Odour Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point / Freezing point : No data available Boiling point : No data available Flash point No data available Auto-ignition temperature No data available Flammability (solid, gas) No data available Vapour pressure No data available Relative density No data available Density Density: 0.975 g/cm<sup>3</sup> Solubility No data available Partition coefficient n-octanol/water (Log Pow)

: Pressurised container: May burst if heated. Explosive properties

Explosive limits : No data available Minimum ignition energy : No data available

VOC content : 526 g/l

VOC content - Regulatory : No data available Percent Solids 45.36 wt%

#### **SECTION 10: Stability and reactivity**

Reactivity : Extremely flammable aerosol. Pressurised container: May burst if heated.

: No data available

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions No dangerous reactions known under normal conditions of use.

Conditions to avoid Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of

ignition.

Incompatible materials No additional information available

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

<b>SECTION 1</b>	11. Tavica	logical inf	formation
SECTION	II. IUNICU	louicai III	Officialion

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

reaction mass of  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxyphenyl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

Tryal oxyphicity/propiotity/oxypory(oxycatiyicite)		
LD50 oral rat	> 5000 mg/kg (OECD Guideline No. 401 (equivalent to Annex V), limit test, rat, male/female)	
LD50 dermal rat	> 2000 mg/kg (OECD Guideline No. 402 (equivalent to Annex V), limit test, rat, male/female)	
LC50 Inhalation - Rat	5800 mg/l (OECD Guideline 403, 14d, rat)	
ATE AU (vapours)	5800 mg/l/4h	
ATE AU (dust,mist)	5800 mg/l/4h	

# reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)

LD50 oral rat	3230 mg/kg (OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), rat, male/female)
LD50 dermal rat	> 3170 mg/kg (OECD Guideline 402 (Acute Dermal Toxicity), read-across,
ATE AU (oral)	3230 mg/kg bodyweight

novamentylene unbedyanate engeliere (20102 01 2)		
LD50 oral rat	> 2500 mg/kg (OECD Test Guideline 423, rat, female)	
LD50 dermal rat	> 2000 mg/kg (OECD Test Guideline 402, rat, male/female)	
LC50 Inhalation - Rat (Dust/Mist)	0.39 mg/l/4h (OECD Test Guideline 403, rat, female, inhalation, dust/mist)	
ATE AU (gases)	4500 ppmv/4h	
ATE AU (vapours)	11 mg/l/4h	
ATE AU (dust,mist)	0.39 mg/l/4h	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified

# hexamethylene diisocyanate oligomers (28182-81-2)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# RAPTOR WHITE BED LINER 2K AEROSOL

Vaporizer aerosol

# **SECTION 12: Ecological information**

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

20/12/2021 (Revision date) EN (English) 5/9

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

#### 12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

: Not classified

: Not classified

(chronic)

reaction mass of  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxypoly(oxyethylene) and  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-ω-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4hydroxyphenyl)propionyloxypoly(oxyethylene)

nydroxyphenyi)propionyioxypoly(oxyethylene)		
LC50 - Fish [1]	2.8 mg/l (96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	4 mg/l (48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	
ErC50 algae	> 100 mg/l (72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)	
BCF - Fish [1]	2658 – 3430 (502 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value)	
Partition coefficient n-octanol/water (Log Pow)	4.6 (Experimental value, Equivalent or similar to OECD 117, 25 °C)	

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

reaction mass of  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxypoly(oxyethylene) and  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-ω-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4hydroxyphenyl)propionyloxypoly(oxyethylene)

BCF - Fish [1]	2658 – 3430 (502 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value)
Partition coefficient n-octanol/water (Log Pow)	4.6 (Experimental value, Equivalent or similar to OECD 117, 25 °C)

#### 12.4. Mobility in soil

reaction mass of  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxypoly(oxyethylene) and  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-ω-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4hydroxyphenyl)propionyloxypoly(oxyethylene)

Partition coefficient n-octanol/water (Log Pow) 4.6 (Experimental value, Equivalent or similar to OECD 117, 25 °C)

#### 12.5. Other adverse effects

Ozone : Not classified

Other adverse effects No additional information available

#### **RAPTOR WHITE BED LINER 2K AEROSOL**

False Fluorinated greenhouse gases

reaction mass of  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl- $\omega$ -hydroxypoly(oxyethylene) and  $\alpha$ -3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-ω-3-(3-(2H-benzotriazol-2-yl)-5-tert-butyl-4hydroxyphenyl)propionyloxypoly(oxyethylene)

Fluorinated greenhouse gases False

reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate (1065336-91-5)

Fluorinated greenhouse gases False

20/12/2021 (Revision date) EN (English) 6/9

## Safety Data Sheet

according to the Model Work Health and Safety Regulations

hexamethylene diisocyanate oligomers	/20102_01_2\
HEXAMELITATEMENTS UNSUCVAMALE UNDUMENS	120102-01-21

Fluorinated greenhouse gases False

## **SECTION 13: Disposal considerations**

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

#### 14.1. UN number

UN-No. (ADG) : 1950 UN-No. (IMDG) : 1950 UN-No. (IATA) : 1950

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (ADG) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS
Proper Shipping Name (IATA) : Aerosols, flammable

## 14.3. Transport hazard class(es)

#### ADG

Transport hazard class(es) (ADG) : 2.1
Danger labels (ADG) : 2.1



## IMDG

Transport hazard class(es) (IMDG) : 2.1
Danger labels (IMDG) : 2.1



#### IATA

Transport hazard class(es) (IATA) : 2.1
Danger labels (IATA) : 2.1



## 14.4. Packing group

Packing group (ADG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

#### 14.5. Environmental hazards

Marine pollutant : No Dangerous for the environment : No

Other information : No supplementary information available

#### Safety Data Sheet

according to the Model Work Health and Safety Regulations

#### 14.6. Special precautions for user

Specific storage requirement : No data available Shock sensitivity : No data available

#### 14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 1950

Special provision (ADG) : 63, 190, 277, 327, 344

Limited quantities (ADG): See SP 277Packing instructions (ADG): P207, LP02Special packing provisions (ADG): PP87, L2

Transport by sea

UN-No. (IMDG) : 1950

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200 Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES

EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)

Stowage category (IMDG) : None

Air transport

UN-No. (IATA) : 1950 PCA Excepted quantities (IATA) E0 PCA Limited quantities (IATA) Y203 PCA limited quantity max net quantity (IATA) 30kgG PCA packing instructions (IATA) 203 PCA max net quantity (IATA) 75kg CAO packing instructions (IATA) 203 CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

#### 14.8. Hazchem or Emergency Action Code

Hazchem Code : Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

**Hazardous Substances and New Organisms Act** 

HSNO Approval Number : HSR002515 Group standard : Aerosols

#### hexamethylene diisocyanate oligomers (28182-81-2)

#### **Hazardous Substances and New Organisms Act**

HSNO Approval Number HSR003565

#### 15.2. International agreements

No additional information available

## **SECTION 16: Other information**

Revision date : 20/12/2021

20/12/2021 (Revision date) EN (English) 8/9

# Safety Data Sheet

according to the Model Work Health and Safety Regulations

Classification	
Aerosol 1	H222;H229
Eye Irrit. 2A	H319
Skin Sens. 1	H317

Full text of H-statements		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5	
Aerosol 1	Aerosol, Category 1	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H303	May be harmful if swallowed	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H332	Harmful if inhaled	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	

For professional use only.

The information contained within this Safety Data Sheet (SDS) is believed to be correct as of the date issued however it is subject to change from time to time. It does not purport to be all inclusive or exhaustive and shall only be used as a guide. U-POL makes no warranties, expressed or implied, including but not limited to, any implied warranty of fitness for a given purpose or usage. It is the Buyers responsibility to ensure the suitability of the products for their own use and to check the information is up to date. U-POL cannot be held responsible for the suitability of use for any of its products, considering the wide range of factors such as application, substrates and handling methods. Since these conditions of use are outside of our control, the company shall not be held liable for any damage resulting from handling or from contact with the product detailed. Moreover, addition of reducers, hardeners or other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. U-POL data sheets are available via the U-POL website at WWW.U-POL.COM.