

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations Issue date: 1/02/2017 Revision date: 19/04/2021 Supersedes: 3/05/2019 Version: 3.0

SECTION 1: Product identifier	
1.1. GHS Product identifier	
Product form Trade name Product code	: Mixture : WIPE #6 SOLVENT BASED DEGREASER AEROSOL : WIPE/AL
1.2. Other means of identification	
No additional information available	
1.3. Recommended use of the chemical a	nd restrictions on use
Recommended use	: Coating
1.4. Details of manufacturer or importer	
Supplier U-POL Australia Pty Limited Ltd 55 Leland Street Penrith NSW 2750 Australia T 02 4731 2655 - F 02 4731 2611 info@u-pol.com.au - www.u-pol.com	Supplier U-POL New Zealand Limited Ltd c/o Lindsay & Associates Unit H, 12 Amera Place, East Tamaki Manukau City Auckland 2013 New Zealand T + 612 4731 2655 / 027 630 3691 - F + 612 4731 2611 info@u-pol.co.nz - www.u-pol.com
1.5. Emergency phone number	
Emergency number	: Australia (CHEMTREC): + (61) - 290372994 ; New Zealand (National Poisons Centre): 0800 764 766
SECTION 2: Hazard identification	
2.1. Classification of the hazardous chem	ical
	alth and Safety Regulations (WHS Regulations)
Flammable aerosols, Category 1 Specific target organ toxicity – Single exposure, C	H222 ategory 3, Narcosis H336
2.2. GHS Label elements, including preca	utionary statements
Hazard pictograms (GHS AU)	Flame Exclamation
Signal word (GHS AU) Contains	mark : Danger : hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (30 – 60 %);

Hazard statements (GHS AU)

19/04/2021 (Revision date)

: H222 - Extremely flammable aerosol H336 - May cause drowsiness or dizziness

No smoking. heat, hot surfaces, open flames, sparks

P251 - Do not pierce or burn, even after use. P261 - Avoid breathing fume, spray, vapours. P273 - Avoid release to the environment.

P211 - Do not spray on an open flame or other ignition source.

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, <0.1% benzene (30 - 60 %)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

P312 - Call a doctor if you feel unwell.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	1174921-73-3	30 – 60	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, <0.1% benzene	-	30 – 60	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304
Other substances (not contributing to the classification of this product)	-	30.14	-

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures		
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell. 	
4.2. Symptoms caused by exposure		
Symptoms/effects	: May cause drowsiness or dizziness.	
4.3. Medical attention and special treatmen	t	
Other medical advice or treatment	: Treat symptomatically.	
SECTION 5: Fire-fighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Dry powder. Foam.	
5.2. Specific hazards arising from the chemical		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic fumes may be released. 	
5.3. Special protective equipment and prec	autions for fire-fighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 6: Accidental release n	neasures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment Emergency procedures	 Safety glasses. Protective clothing. Gloves. Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and materials for conta	inment and cleaning up
For containment Methods for cleaning up	Contain released product, collect/pump into suitable containers. Collect spillage.Mechanically recover the product.
SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	•
Storage conditions Storage temperature Special rules on packaging	 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. < 25 °C Keep only in original container.
SECTION 8: Exposure controls a	nd personal protection
8.1. Control parameters - exposure s	tandards
No additional information available	
8.2. Biological Monitoring	
No additional information available	
8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
8.4. Individual protection measures,	such as personal protective equipment (PPE)
Personal protective equipment Materials for protective clothing Hand protection	 Gloves. Protective clothing. Safety glasses. Impermeable clothing Protective gloves

- : Safety glasses
- Skin and body protection : Wear suitable protective clothing Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Eye protection

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Personal protective equipment symbol(s)



Environmental exposure controls

: Avoid release to the environment.

SECTION 9: Physical and chemical properties

Odour:Odour threshold:pH:Relative evaporation rate (butylacetate=1):Melting point / Freezing point:Boiling point:Flash point:Auto-ignition temperature:Flammability:Vapour pressure:Relative density:Density:Solubility:Partition coefficient n-octanol/water (Log Pow):Viscosity, kinematic:Explosive properties:Explosive limits:Minimum ignition energy:VOC content:VOC content - Regulatory:	No data available No data available No data available No data available No data available -60 °C No data available No data available No data available Density: 0.665 g/cm ³ insoluble in water. soluble in most organic solvents. No data available 1.7 mm ² /s Pressurised container: May burst if heated. No data available No data available No data available No data available No data available
VOC content - Regulatory : Percent Solids :	No data available 0 wt%
VOC content - Regulatory	No data available

SECTION 10: Stability and reactive	vity
Reactivity	: Extremely flammable aerosol. Pressurised container: May burst if heated.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	 Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
Acute toxicity (dermal)	Not classified Not classified Not classified	
hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (1174921-73-3)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
LC50 Inhalation - Rat (Vapours)	> 4.951 mg/l/4h (OECD Guideline 403 (Acute Inhalation Toxicity), 4h, rat, male/female, inhalation (vapours))	

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, <0.1% benzene		
LD50 oral rat	> 5840 mg/kg	
LD50 dermal rabbit	2000 mg/kg	
LC50 Inhalation - Rat (Vapours)	> 23.3 mg/l/4h	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	May cause drowsiness or dizziness.	
hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (1174921-73-3)		
STOT-single exposure	May cause drowsiness or dizziness.	
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, <0.1% benzene		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	
WIPE #6 SOLVENT BASED DEGREASER AEROSOL		
Vaporizer	Aerosol	
Viscosity, kinematic	1.7 mm²/s	

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity		
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Not classified	
hydrocarbons, C9-C10, n-alkanes, isoalkanes	, cyclics, <2% aromatics (1174921-73-3)	
LC50 - Fish [1]	10 – 100 mg/l	
NOEC chronic fish	1 mg/l	
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, <0.1% benzene		
LC50 - Fish [1]	10 mg/l	
NOEC chronic fish	1 mg/l	
NOEC chronic crustacea	1 mg/l	
12.2. Persistence and degradability		

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

12.5. Other adverse effects		
	Not classified No additional information available	
WIPE #6 SOLVENT BASED DEGREASER AEROSOL		
Fluorinated greenhouse gases	False	
hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (1174921-73-3)		
Fluorinated greenhouse gases	False	
hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, <0.1% benzene		
Fluorinated greenhouse gases	False	

SECTION 13: Disposal considerations	
Regional legislation (waste) Waste treatment methods	Disposal must be done according to official regulations.Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	

14.1. UN number	
UN-No. (ADG) UN-No. (IMDG) UN-No. (IATA)	: 1950 : 1950 : 1950
14.2. UN Proper Shipping Name	
Proper Shipping Name (ADG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: AEROSOLS : AEROSOLS : Aerosols, flammable
14.3. Transport hazard class(es)	
ADG Transport hazard class(es) (ADG) Danger labels (ADG)	: 2.1 : 2.1 : 3
IMDG	
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 2.1 : 2.1 :
ΙΑΤΑ	
Transport hazard class(es) (IATA) Danger labels (IATA)	: 2.1 : 2.1 :

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

14.4. Packing group	
Packing group (ADG)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Marine pollutant	: No
Dangerous for the environment	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Specific storage requirement	: No data available
Shock sensitivity	: No data available
14.7. Additional information	
Other information	: No supplementary information available
Transport by road and rail	1050
UN-No. (ADG) Special provision (ADG)	: 1950 : 63, 190, 277, 327, 344
Limited quantities (ADG)	: See SP 277
Packing instructions (ADG)	: P207, LP02
Special packing provisions (ADG)	: PP87, L2
Transport by sea	
UN-No. (IMDG)	: 1950
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage) Stowage category (IMDG)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE) : None
Air transport	: 1950
UN-No. (IATA) PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
14.8. Hazchem or Emergency Action Code	e
Hazchem Code	: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

Hazardous Substances and New Organisms Act		
HSNO Approval Number	:	HSR002515
Group standard	:	Aerosols

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

LPG, liquefied, under pressure (68476-85-7)		
Hazardous Substances and New Organisms Act		
HSNO Approval Number	HSR001009	
15.2. International agreements		

No additional information available

SECTION 16: Other information

Revision date	: 19/04/2021
Classification	
Flam. Aerosol 1	H222
STOT SE 3	H336

Full text of H-statements		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Aerosol 1	Flammable aerosols, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	
H222	Extremely flammable aerosol	
H225	Highly flammable liquid and vapour	
H226	Flammable liquid and vapour	
H304	May be fatal if swallowed and enters airways	
H336	May cause drowsiness or dizziness	
H412	Harmful to aquatic life with long lasting effects	

For professional use only.

The information contained within this Safety Data Sheet (SDS) is believed to be correct as of the date issued however it is subject to change from time to time. It does not purport to be all inclusive or exhaustive and shall only be used as a guide. U-POL makes no warranties, expressed or implied, including but not limited to, any implied warranty of fitness for a given purpose or usage. It is the Buyers responsibility to ensure the suitability of the products for their own use and to check the information is up to date. U-POL cannot be held responsible for the suitability of use for any of its products, considering the wide range of factors such as application, substrates and handling methods. Since these conditions of use are outside of our control, the company shall not be held liable for any damage resulting from handling or from contact with the product detailed. Moreover, addition of reducers, hardeners or other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. U-POL data sheets are available via the U-POL website at WWW.U-POL.COM.