

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations Issue date: 4/05/2017 Revision date: 9/12/2021 Supersedes: 15/04/2021 Version: 5.0

SECTION 1: Product identifier	
1.1. GHS Product identifier	
Product form Trade name Product code	: Mixture : BLEND #9 CLEAR FADE OUT SOLVENT AEROSOL : BLEND/AL
1.2. Other means of identification	
No additional information available	
1.3. Recommended use of the chemical a	and restrictions on use
Recommended use	: Coating
1.4. Details of manufacturer or importer	
Supplier U-POL Australia Pty Limited Ltd 55 Leland Street Penrith NSW 2750 Australia T 02 4731 2655 - F 02 4731 2611 info@u-pol.com.au - www.u-pol.com	Supplier U-POL New Zealand Limited Ltd c/o Lindsay & Associates Unit H, 12 Amera Place, East Tamaki Manukau City Auckland 2013 New Zealand T + 612 4731 2655 / 027 630 3691 - F + 612 4731 2611 info@u-pol.co.nz - www.u-pol.com
1.5. Emergency phone number	
Emergency number	: Australia (CHEMTREC): + (61) - 290372994 ; New Zealand (National Poisons Centre): 0800 764 766
SECTION 2: Hazard identification	
2.1. Classification of the hazardous chem	nical
Classification according to the model Work He	ealth and Safety Regulations (WHS Regulations)
Aerosol, Category 1	H222;H229
Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1	H315 H318
2.2. GHS Label elements, including preca	
Hazard pictograms (GHS AU)	
Signal word (GHS AU) Contains Hazard statements (GHS AU)	 Flame Corrosion Danger cyclohexanone (30 – 60 %) H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H315 - Causes skin irritation

H318 - Causes serious eye damage

- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P264 Wash hands thoroughly after handling.

P280 - Wear eye protection, protective clothing, protective gloves.

Precautionary statements (GHS AU)

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
cyclohexanone	108-94-1	30 – 60	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318
Other substances (not contributing to the classification of this product)	-	50	-

SECTION 4: First aid measures

4.1. Description of necessary first-ai	d measures
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Symptoms caused by exposure	
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Medical attention and special tre	atment

Other medical advice or treatment

: Treat symptomatically.

SECTION 5: Fire-fighting measures

	The set line second	 and a still a
5 1	Extingu	media
J. I.		Incula

Suitable extinguishing media

: Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic fumes may be released. 	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and materials for containment and cleaning up			
Methods for cleaning up	: Mechanically recover the product.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
-	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment.		
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool.		

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards cyclohexanone (108-94-1) Australia - Occupational Exposure Limits Local name Cyclohexanone (Anone) OES TWA [1] 100 mg/m³ OES TWA [2] 25 ppm Remark (AU) Sk - Absorption through the skin may be a significant source of exposure. Regulatory reference Workplace exposure standards for airborne contaminants (2019) **New Zealand - Occupational Exposure Limits** Local name Cyclohexanone WES-TWA (OEL TWA) [1] 100 mg/m³ WES-TWA (OEL TWA) [2] 25 ppm Remark (NZ) skin (Skin absorption) Regulatory reference Workplace Exposure Standards and Biological Exposure Indices, 12th Edition

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

8.2. Biological Monitoring	
No additional information available	
8.3. Engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
8.4. Individual protection measures, such	as personal protective equipment (PPE)
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment symbol(s)	
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: Aerosol.
Colour	: Colourless
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: ≈ -60 °C
Auto-ignition temperature	: No data available
Flammability	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: Density: 0.755 g/cm ³
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Explosive limits	: No data available
Minimum ignition energy	: No data available
VOC content	: 732 g/l
VOC content - Regulatory	: No data available
Percent Solids	: 0 wt%

Reactivity	: Extremely flammable aerosol. Pressurised container: May burst if heated.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: No additional information available
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 11: Toxicological information		
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified	
cyclohexanone (108-94-1)		
LD50 oral rat	1890 – 2650 mg/kg bodyweight (BASF test, Rat, Experimental value, Oral, 7 day(s))	
LD50 oral	1620 mg/kg	
LD50 dermal rabbit	1100 mg/kg (BRENNTAG test)	
LC50 Inhalation - Rat	> 6.2 mg/l air Animal: rat	
LC50 Inhalation - Rat (Vapours)	8000 mg/l/4h	
ATE AU (oral)	1890 mg/kg bodyweight	
ATE AU (dermal)	1100 mg/kg bodyweight	
ATE AU (gases)	4500 ppmv/4h	
ATE AU (vapours)	11 mg/l/4h	
ATE AU (dust,mist)	1.5 mg/l/4h	
Skin corrosion/irritation :	Causes skin irritation.	
Serious eye damage/irritation :	Causes serious eye damage.	
Respiratory or skin sensitisation :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
cyclohexanone (108-94-1)		
NOAEL (oral, rat, 90 days)	143 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)	
Aspiration hazard :	Not classified	
BLEND #9 CLEAR FADE OUT SOLVENT AEROSOL		
Vaporizer	Aerosol	

SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

12.1. Ecotoxicity	
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term : (acute)	Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Not classified
cyclohexanone (108-94-1)	
LC50 - Fish [1]	527 – 732 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
ErC50 algae	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Read-across, GLP)

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

cyclohexanone (108-94-1)	
Partition coefficient n-octanol/water (Log Pow)	0.86 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 $^{\circ}\text{C}$)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.18 (log Koc, SRC PCKOCWIN v1.66, Calculated value)

12.2. Persistence and degradability

cyclohexanone (108-94-1)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.232 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.605 g O ₂ /g substance	
ThOD	2.605 g O ₂ /g substance	

12.3. Bioaccumulative potential

clohexanone (108-94-1)	
Partition coefficient n-octanol/water (Log Pow)	0.86 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 $^{\circ}\mathrm{C}$)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.18 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

cyclohexanone (108-94-1)

cyclonexanone (108-94-1)		
Surface tension	No data available in the literature	
Partition coefficient n-octanol/water (Log Pow)	0.86 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 $^{\circ}\text{C}$)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	See section 12.1 on ecotoxicology1.18 (log Koc, SRC PCKOCWIN v1.66, Calculated value)	
Ecology - soil	Highly mobile in soil.	

12.5. Other adverse effects

	Not classified No additional information available	
BLEND #9 CLEAR FADE OUT SOLVENT AEROSOL		
Fluorinated greenhouse gases	False	
cyclohexanone (108-94-1)		
Fluorinated greenhouse gases	False	

SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information		
14.1. UN number		
UN-No. (ADG)	: 1950	

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

according to the Work Health and Safety (WHS) Regulation	15
UN-No. (IMDG) UN-No. (IATA)	: 1950 : 1950
14.2. UN Proper Shipping Name	
Proper Shipping Name (ADG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: AEROSOLS : AEROSOLS : Aerosols, flammable
14.3. Transport hazard class(es)	
ADG Transport hazard class(es) (ADG) Danger labels (ADG)	: 2.1 : 2.1 :
IMDG	
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 2.1 : 2.1 :
IATA Transport hazard class(es) (IATA) Danger labels (IATA)	: 2.1 : 2.1 :
14.4. Packing group	
Packing group (ADG) Packing group (IMDG) Packing group (IATA)	Not applicableNot applicableNot applicable
14.5. Environmental hazards	
Marine pollutant Dangerous for the environment Other information	: No : No : No supplementary information available
14.6. Special precautions for user	
Specific storage requirement Shock sensitivity	No data availableNo data available
14.7. Additional information	
Other information	: No supplementary information available
Transport by road and rail UN-No. (ADG) Special provision (ADG) Limited quantities (ADG) Packing instructions (ADG) Special packing provisions (ADG)	 1950 63, 190, 277, 327, 344 See SP 277 P207, LP02 PP87, L2

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Transport by sea	
UN-No. (IMDG)	: 1950
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG)	: None
Air transport	
UN-No. (IATA)	: 1950
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

14.8. Hazchem or Emergency Action Code

Hazchem Code

: Not applicable

SECTION 15: R	Regulatory in	formation
---------------	---------------	-----------

15.1. Safety, health and environmental regulations specific for the product in question

Hazardous Substances and New Organisms Act		
HSNO Approval Number	:	HSR002515
Group standard	:	Aerosols

cyclohexanone (108-94-1) Hazardous Substances and New Organisms Act	
15.2. International agreements	

No additional information available

SECTION 16: Other information

Revision date :	09/12/2021
Classification	
Aerosol 1	H222;H229
Skin Irrit. 2	H315
Eye Dam. 1	H318

Full text of H-statements	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Full text of H-statements	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H332	Harmful if inhaled

For professional use only.

The information contained within this Safety Data Sheet (SDS) is believed to be correct as of the date issued however it is subject to change from time to time. It does not purport to be all inclusive or exhaustive and shall only be used as a guide. U-POL makes no warranties, expressed or implied, including but not limited to, any implied warranty of fitness for a given purpose or usage. It is the Buyers responsibility to ensure the suitability of the products for their own use and to check the information is up to date. U-POL cannot be held responsible for the suitability of use for any of its products, considering the wide range of factors such as application, substrates and handling methods. Since these conditions of use are outside of our control, the company shall not be held liable for any damage resulting from handling or from contact with the product detailed. Moreover, addition of reducers, hardeners or other additives over and above U-POL's recommendations for use, may substantially alter the composition and hazards of the product. U-POL data sheets are available via the U-POL website at WWW.U-POL.COM.